

ASC EUREKA E50

SCRUBBER-DRYER LINE

INDUSTRIAL TECHNOLOGY
AND COMPACT DESIGN



MECHANICAL®



@ WWW.SWEEPER.COM.AU

FREE CALL 1800 650 989

asc
DESIGNED TO CLEAN.
BUILT TO LAST

ASC EUREKA E50

WALK-BEHIND SCRUBBER-DRYER

Industrial floor cleaning machines on a budget

The ASC E50 and ASC E55 are professional walkbehind scrubber-dryers, which are ideal for the complete cleaning of small and medium sized areas. Thanks to the combination of powerful industrial motors, compact dimensions and high maneuverability, these machines deliver incomparable performance even in applications with stubborn dirt.

The ASC E50 and ASC E55 have cleaning paths of 50 and 55 cm, which combined with an operating speed of 4 km/h provide an hourly productivity rate of 2.000 m²/h for the E50 and 2.200 m²/h for the E55.

The ASC E50 and ASC E55 are productive, economic and deliver fantastic results.

Both models are part of the M-Mechanical® line, featuring simple controls and no electronics.

There are 2 versions available, the BASE-M version is brush driven whereas the TRAC-M version has automatic traction.

The large tanks (40 L solution tank and 50 L recovery tank) optimize productivity and cleaning time.

The onboard battery charger makes charging easy and safe.

Be surprised by the ASC E50 and ASC E55, the walk-behind scrubber-dryers for everyday use, with industrial quality.

THE EUREKA START & GO EXPERIENCE

Simple controls which are intuitive to use, and the absence of electronic components permit these machines to be used even by inexperienced operators, without specific training.

Choose between two, extremely maneuverable, versions: BASE M (brush driven) and TRAC M (automatic traction).

Both models are fitted with the simple and intuitive controls. Start the machine, pull the drive bar, and go!

Using the ASC E50 or ASC E55 is extremely comfortable. The ergonomic design makes cleaning less tiring for the operator and helps increase productivity.

* TWO VERSIONS AVAILABLE

- BASE-M version is brush driven
- TRAC-M version has automatic traction.



ANTI-FOAM SYSTEM

The efficient anti-foam system avoids damage to the vacuum motor



STORAGE COMPARTMENT

The built-in storage compartment on the machine's tank cover is a clever way to maximize the use of available space.



SOLUTION CONTROL VALVE

The optional solenoid valve activates and deactivates the flow of cleaning solution in line with brush activity, further reducing waste and cost.



MAINTENANCE MADE EASIER

Complete access to the tanks makes after use maintenance easy. The recovery tank can be quickly emptied thanks to the wastewater tube which is fitted with a valve, and the solution filter is simple to check and clean.



FREE CALL 1800 650 989



WWW.SWEEPER.COM.AU



DOSEMATIC® SYSTEM

The innovative DoseMatic® system (*optional) allows real time adjustment of the quantity or type of cleaning detergent being used, reducing the overall use of detergent by up to 50% and eliminating waste.



BATTERIES

Zero Maintenance and with Long Life AGM batteries included.

M - MECHANICAL®

Created following the "Electronic-Free" philosophy, the functions of an M line machine are mechanically activated. This ensures the unit is simple to use and easy to maintain, suitable even for inexperienced operators.



MECHANICAL®



MADE IN ITALY



DOSEMATIC®



LINATEX® / OLIREX®



BRUSH'O-MATIC®

CONTROL PANEL

STORAGE COMPARTMENT

WASTE WATER TUBE

EUREKA'S DRYING SYSTEM



FREE CALL 1800 650 989



@ WWW.SWEEPER.COM.AU

VERSIONS

E50 BASE M (two 12V batteries)
E50 TRAC M (two 12V batteries, electronic traction)
E50 CABLE (with power cord, unlimited uptime)
E55 BASE M (two 12V batteries)
E55 TRAC M (two 12V batteries, electronic traction)

APPLICATIONS

Restaurants, kitchens, bars, gyms, swimming pools, changing rooms, hospitals, small manufacturing facilities, supermarkets, offices, shops and other small to medium sized surfaces.

SURFACES

Ceramic, marble, cement, linoleum, porcelain tiles, rubber.



TECHNICAL SPECIFICATIONS	E50	E55
CLEANING PATH	500 mm	550 mm
FORWARD SPEED	4 km/h	4 km/h
HOURLY PERFORMANCE	2.000 m ² /h	2.200 m ² /h
SOLUTION TANK CAPACITY	40 L	40 L
RECOVERY TANK CAPACITY	50 L	50 L
BRUSH PRESSURE	34 kg	45 kg
SUPPLY VOLTAGE	24 V	24 V
WEIGHT	141 kg	156 kg
DIMENSIONS WITHOUT SQUEEGEE	1.200 x 535 x 960	1.210 x 570 x 960
WIDTH WITH SQUEEGEE	830 mm	830 mm

Key data for the TRAC M version

START & GO SYSTEM | STORAGE COMPARTMENT | QUICK CHANGE BATTERY | SOLUTION FLOW
STOP WHEN STATIONARY | ANTI-FOAM SYSTEM PROTECTS VACUUM MOTOR | COMPLETE
TANK ACCESS | STEEL SQUEEGEE, PARABOLIC AND ADJUSTABLE | SELF-LEVELING SPLASH
GUARD | ONBOARD BATTERY CHARGER

ASC EUREKA E50 USED BY 1000'S IN AUSTRALIA



AUSTRALIAN SWEEPER CORPORATION PTY LTD



02 9854 0900



POSTAL ADDRESS: PO BOX 3726 ROUSE HILL NSW 2155
HEAD OFFICE: 6 MONEY CLOSE, ROUSE HILL, NSW 2155



WWW.SWEEPER.COM.AU



FREE CALL 1800 650 989

asc
DESIGNED TO CLEAN.
BUILT TO LAST