

# ASC EUREKA E51

SCRUBBER-DRYER LINE

COMPACT, ECO-FRIENDLY,  
AND COST-EFFECTIVE



ECOSYSTEM®



@ [WWW.SWEEPER.COM.AU](http://WWW.SWEEPER.COM.AU)

FREE CALL 1800 650 989

**asc**  
DESIGNED TO CLEAN.  
BUILT TO LAST



# ASC EUREKA E51

## WALK-BEHIND SCRUBBER-DRYER

### COMPACT FOR PROFESSIONAL USE

Elegantly designed scrubber-dryers with a tough attitude. Designed for professional use, the ASC E51 are the ideal solution for areas between 250 and 2.000 m<sup>2</sup>, delivering maximum efficiency even in congested spaces with hard to remove dirt.

The ASC E51 has a single brush deck, with a cleaning path of 530 mm, and hourly productivity rate of 2.280 m<sup>2</sup>/h. The ASC E51, thanks to a double brush deck, offers even greater productivity whilst maintaining maneuverability and ease of use.

Also available with ECOsystem®, these efficient scrubber-dryers save water, detergent, and labour costs, delivering up to 80% of savings on overall running costs.

### FEATURES

- Extremely robust structure made up of a resistant sandblasted frame, which is treated with zinc phosphates and coated with a thermosetting powder.
- The **Optimal FlowMaster®** solution control system (available with the ECO version only) automatically adjusts the amount of cleaning solution delivered to the brush in proportion to the forward speed of the machine.
- The exclusive **Brush'O-Matic®** system (automatic brush coupling / uncoupling): enables rapid brush changes.
- Easy access to internal components for quick and easy maintenance.

### \* NEW VERSIONS

- Electronic traction with variable speed control (TRAC and ECO versions)
- The Chrome® version of the ASC E51 has a stainless-steel frame and squeegee



#### ROBUST STRUCTURE

The robust structure undergoes different phases of treatment using zinc phosphate, cataphoresis and a thermosetting paint, to protect the steel frame. In the Chrome® version the frame, squeegee and mechanical components are in stainless steel, providing enhanced resistance when working in highly corrosive environments.



#### BRUSHES

The ideal synergy between the rotations per minute of the brush and the pressure that the brush deck delivers to the floor, create the best conditions to obtain the highest quality cleaning results. It is possible to choose between multiple types of brushes and pads to clean every type of floor.



#### MULTIFUNCTION DISPLAY

Simple and ergonomic commands make the machine easy to use in tight or congested spaces, without tiring the operator. Operation is intuitive and does not require specific training.



#### ONBOARD BATTERY CHARGER

The onboard battery charger is the ideal way to charge the battery quickly. Depending on the type of battery fitted, the machine can also be charged in areas with little ventilation.



FREE CALL 1800 650 989



WWW.SWEEPER.COM.AU





### STAINLESS STEEL FILTER

The vacuum motor is protected from impurities thanks to a stainless-steel filter, which is also easy to remove and clean.




### ANTI-ENTRAPMENT DEVICE

This exclusive safety device, positioned on machine's handlebar, protects the operator from the risk of becoming trapped when reversing the machine on both flat and inclined surfaces.

### ECOSYSTEM®

This exclusive system which reuses cleaning solution, saves water, detergent, and hours of work, with significant savings on running costs.



### CONTROL PANEL

### ROBUST STRUCTURE

### ALUMINUM BRUSH DECK

### EUREKA'S DRYING SYSTEM



MECHANICAL®



CHROME®



LINATEX® /OLIRES®



BRUSH'O-MATIC®



FREE CALL 1800 650 989



@ WWW.SWEEPER.COM.AU



## VERSIONS

ASC E51 BASE M (mechanical)  
ASC E51/ASC E51 TRAC M (mechanical, with electronic traction)  
ASC E51/ASC E51 TRAC TRONIC (with a package of standard features, dedicated to the comfort of the operator)  
ASC E51/ASC E51 ECO (full-optional, with ECOsystem®)

## APPLICATIONS

Restaurants, kitchens, bars, swimming pools, changing rooms, hospitals, clubs, industrial areas, supermarkets, pharmacies and other small to medium sized areas.

## SURFACES

Ceramic, marble, cement, linoleum, porcelain tiles, rubber.



TECHNICAL SPECIFICATIONS	ASC E51	ASC E51 V3
CLEANING PATH	530 mm	530 mm
FORWARD SPEED	4,3 km/h	4,3 km/h
HOURLY PERFORMANCE	2.280 m <sup>2</sup> /h	2.280 m <sup>2</sup> /h
SOLUTION TANK CAPACITY	40 L	40 L
RECOVERY TANK CAPACITY	56 L	56 L
BRUSH PRESSURE	34 kg	34 kg
SUPPLY VOLTAGE	24 V	24 V
WEIGHT (with batteries and charger)	213,5 kg	213,5 kg
DIMENSIONS WITHOUT SQUEEGEE	1.317 x 555 x 1.110	1.317 x 555 x 1.110
WIDTH WITH SQUEEGEE	830 mm	830 mm

Key data for the ECO version

**DIE CAST ALUMINUM BRUSH DECK | STAINLESS STEEL DUST FREE FILTER PROTECTS VACUUM MOTOR | ADJUSTABLE PARABOLIC SQUEEGEE | AUTOMATIC SQUEEGEE DECOUPLING ON IMPACT | SELF-LEVELING SPLASH GUARD | BRUSHES AND PADS FOR EVERY TYPE OF FLOOR | ANTI ENTRAPMENT SAFETY DEVICE**

## ASC EUREKA E51 USED BY 1000'S IN AUSTRALIA



## AUSTRALIAN SWEEPER CORPORATION PTY LTD



02 9854 0900



POSTAL ADDRESS: PO BOX 3726 ROUSE HILL NSW 2155  
HEAD OFFICE: 6 MONEY CLOSE, ROUSE HILL, NSW 2155



[WWW.SWEEPER.COM.AU](http://WWW.SWEEPER.COM.AU)



FREE CALL 1800 650 989

**asc**  
DESIGNED TO CLEAN.  
BUILT TO LAST