











ASC MACRO M60

STREET SWEEPER

MACRO M60 is the latest generation mechanical suction road sweeper.

Its cabin is both spacious and comfortable while in use and features great manoeuvrability.

Its solid structure, along with the filtered suction mechanical sweeping system, make it suitable for all cleaning in very dusty facilities.

Specifically designed for use in Aluminium, Cement, Mining and Port applications, the 6 cubic metre hopper is perfect for use in industrial plants, where compact dimensions and great cleaning efficiency are required.

The large 6 cubic metre container and the capacity of 6 tonnes, make it a vehicle suitable for the collection of very heavy materials and extended run times.

FEATURES

- By pressing the EASY START button, it automatically activates all the machine functions. This ensures that almost anyone can operate the sweeper.
- The geometries of the machine have been carefully engineered, in order to achieve maximum productivity. This is achieved by a four wheel steering system, designed to maximise sweeping productivity.
- The cabin of the M60 is state of the art. It is comfortable and spacious. The Cabin is both pressurised and carefully insulated. This ensures comfortable use, in varying outside temperature, noise, vibration and dust, to make long shifts less tiring.
- A host of options are available on the unit, including high bin dump, extendable side broom, water suppression and a vacuum wand hose attachment.

MAIN OPTIONALS



ADJUSTABLE FRONT BRUSH

Fully adjustable third front brush that allows to sweep 180° left and right side.



HIGH DUMP CAPACITY

Dumping at any height between 1,1 and 2,3m.



REAR VACUUM HOSE

Rear powerful wandering vacuum hose, 6 m length -140mm diameter.



SIDE BRUSH

Side brush dust suppression skirts for dry dust-free sweeping.















EASY START BUTTON

By pressing the EASY START button, it automatically activates all the machine functions. This ensures that almost anyone can operate the sweeper.



PORTER LIFTING SYSTEM

A typical need for urban is overcoming of the bumps, which is why it is possible to install a accessory that allows you to increase the distance form potter's land. In doing so it also increases the ground clearnance of the rubber seals of the sweeping system.



DIAGNOSTIC SYSTEMS

The on-board diagnostic system ensures that any faults, even those not noticeable to the operators, are promptly reported. Thanks to a coding system, the display fault can be easily located by any technician, which will allow them to remedy any problem.









VERSIONS

-

APPLICATIONS

Municipalities and contractors alike, sweeping footpaths, car parks, walkways, sporting venues, stables and logistics facilities.

SURFACES

Ceramic, marble, cement, linoleum, porcelain tiles, non-slip floors and rubber.

TECHNICAL SPECIFICATIONS	ASC MACRO M60
CLEANING PATH	2800 mm (OPT 3700 mm)
HOPPER CAPACITY	6,2 m³
HOPPER DUMPING HEIGHT	1100 mm (0PT 2500 mm)
MAXIMUM SPEED	42 km/h
KERB TO KERB TURNING RADIUS	3540 mm
WHEELS STEERING	4 (Opt. Lockable Rear Steering
FULL LOAD WEIGHT	13550 kg







ASC MACRO M60 USED BY 1000'S IN AUSTRALIA











AUSTRALIAN SWEEPER CORPORATION PTY LTD



02 9854 0900



POSTAL ADDRESS: PO BOX 3726 ROUSE HILL NSW 2155 HEAD OFFICE: 6 MONEY CLOSE, ROUSE HILL, NSW 2155





